


CLAIMS

1. (currently amended) A thermoplastic molding composition comprising
- A) from 1 to 97.85% by weight of at least one thermoplastic polyester,
 - B) from 1 to 97.85% by weight of at least one polycarbonate,
 - C) from 1 to 50% by weight of an elastomeric polymer,
 - D) from 0.1 to 5% by weight of a phosphorus-containing stabilizer, wherein component D) is composed of an organic phosphonite of the formula (I):



where

m is 0 or 1,

n is 0 or 1,

Y is an oxygen bridge, a sulfur bridge or a 1,4-phenylene bridge, or a bridging unit of the formula $-\text{CH}(\text{R}^2)-$; each of the R-O- and R¹-O-groups, independently of one another, is the radical of an aliphatic, alicyclic or aromatic alcohol which may contain up to three hydroxyl groups, but excluding any arrangement of the hydroxyl groups which permits these to be part of a phosphorus-containing ring (termed monovalent R-O-groups), or

two R-O- or, respectively, R¹-O- groups, bonded to a phosphorus atom, in each case independently of one another, together are the radical of an aliphatic, alicyclic or aromatic alcohol having a total of up to three hydroxyl groups (termed bivalent R-O-, or, respectively, R¹-O-groups),

R² is hydrogen, C₁-C₈-alkyl or a group of the formula COOR³, and

R³ is C₁₋₈-alkyl

or is composed of at least one inorganic salt of phosphoric acids,

E) from 0.05 to 2 % by weight of an organic acid, and

F) from 0 to 60% by weight of other conventional additives,

where the percentages by weight of components A) to F) give 100%.

2. (original) A thermoplastic molding composition as claimed in claim 1, wherein

component A) is composed of a polyalkylene terephthalate having from 2 to 10 carbon atoms in the alcohol moiety.

3. (previously presented) A thermoplastic molding composition as claimed in claim 1,

wherein component E) is composed of citric acid or of p-toluenesulfonic acid or of mixtures of these.

4. (currently amended) A process for producing moldings, films or fibers comprising

producing said moldings, films or fibers using ~~The use of the molding~~

WEBER et al., Serial No. 10/018,341

compositions as claimed in claim 1 for producing moldings, films or fibers.

5. (currently amended) A process for producing exterior bodywork parts comprising producing said exterior bodywork parts using ~~The use of~~ the molding compositions as claimed in claim 1 for producing exterior bodywork parts.

6. (previously presented) A molding of any type, obtainable from the thermoplastic molding compositions as claimed in claim 1.